


06

Lenķi un citi stiprinājumi




Stūra leņķis



Artikuls	Izmēri				Cauruma dimensijas ø	Sertifikāts
	a	b	c	t		
71101	30	30	25	2,0	4,2	CE
71102	50	50	35	2,0	5 ; 9	CE
71103	65	65	55	2,0	5 ; 9	CE
71104	70	70	55	2,0	5 ; 11	CE
71105	90	90	40	2,5	5 ; 11	CE
71106	90	90	65	2,5	5 ; 7 ; 13	CE
71107	100	100	55	2,5	5 ; 7 ; 9	CE
71108	105	105	90	2,5	5 ; 7 ; 9 ; 11	CE
71109	50	50	55	2,5	5 ; 9	CE
71112	105	105	90	2,0	5 ; 7 ; 9 ; 11	CE
71115	90	90	65	2,0	5 ; 7 ; 9 ; 13	CE
71116	50	50	40	2,0	5 ; 11	CE
71117	90	90	90	2,5	5 ; 7 ; 9 ; 11	DC
71118	50	50	35	2,5	5 ; 9	CE
71119	105	105	90	3,0	5 ; 7 ; 9 ; 11	CE
71121	90	90	40	3,0	5 ; 11	CE
71122	50	50	40	2,5	5 ; 11	DC
71125	65	65	55	3,0	5 ; 9	CE
71126	70	70	55	2,5	5 ; 11	CE
71127	90	90	40	2,0	5 ; 11	CE
71132	120	120	90	2,5	5 ; 7 ; 9 ; 11	CE
71133	120	120	90	3,0	5 ; 7 ; 9 ; 11	CE
71135	140	140	90	3,0	5 ; 7 ; 9 ; 11	CE
71137	90	90	65	2,5	5 ; 7 ; 9 ; 11	CE
71138	90	90	65	2,5	5 ; 7 ; 9 ; 10x40 ; 11	CE


Stūra leņķis ar ribu



Artikuls	Izmēri				Cauruma dimensijas ø	Sertifikāts
	a	b	c	t		
71301	90	90	65	2,5	5 ; 7 ; 13	CE
71302	100	100	55	2,5	5 ; 7 ; 9	CE
71303	105	105	90	2,5	5 ; 7 ; 9 ; 11	CE



Artikuls	Izmēri				Cauruma dimensijas Ø	Sertifikāts
	a	b	c	t		
71304	70	70	55	2,0	5 ; 11	CE
71305	105	105	90	2,0	5 ; 7 ; 9 ; 11	CE
71306	120	120	90	2,5	5 ; 7 ; 9 ; 11	CE
71307	140	140	90	2,5	5 ; 7 ; 9 ; 11	CE
71308	90	90	65	2,0	5 ; 7 ; 9 ; 13	CE
71310	100	100	55	2,0	5 ; 7 ; 9	DC
71311	90	90	90	2,5	5 ; 7 ; 9 ; 11	CE
71312	70	70	55	2,5	5 ; 11	CE
71313	105	105	90	3,0	5 ; 7 ; 9 ; 11	CE
71315	90	90	90	3,0	5 ; 7 ; 9 ; 11	CE
71317	120	120	90	3,0	5 ; 7 ; 9 ; 11	CE
71318	140	140	90	3,0	5 ; 7 ; 9 ; 11	CE
71319	90	90	65	2,5	5 ; 7 ; 9 ; 11	CE
71340	90	90	65	2,0	5 ; 7 ; 9 ; 11	CE

Stūra lenķis ar āķiem





Artikuls	Izmēri				Cauruma dimensijas Ø	Sertifikāts
	a	b	c	t		
71155	105	105	90	3,0	5 ; 7 ; 9 ; 11	CE
71157	120	120	90	3,0	5 ; 7 ; 9 ; 11	CE
71159	140	140	90	3,0	5 ; 7 ; 9 ; 11	CE

Stūra lenķis ar ribu un āķiem



Artikuls	Izmēri				Cauruma dimensijas Ø	Sertifikāts
	a	b	c	t		
71351	90	90	90	2,5	5 ; 7 ; 9 ; 11	DC
71352	90	90	90	3,0	5 ; 7 ; 9 ; 11	CE
71354	105	105	90	2,5	5 ; 7 ; 9 ; 11	DC
71356	120	120	90	2,5	5 ; 7 ; 9 ; 11	DC
71358	140	140	90	2,5	5 ; 7 ; 9 ; 11	DC

Nevienādmalu stūra leņķis



73007





73009



73002

Artikuls	Izmēri			t	Cauruma dimensijas	Sertifikāts
	a	b	c		Ø	
73001	90	40	40	2,5	5 ; 11	CE
73002	140	40	40	2,5	5 ; 11	CE
73003	90	50	55	2,0	5 ; 11	DC
73004	80	60	55	2,5	5 ; 11	DC
73006	90	50	55	2,5	5 ; 11	CE
73007	90	40	40	3,0	5 ; 11	CE
73009	130	50	65	2,5	5 ; 9 ; 10 ; 11x42	CE

Pastiprināts stūra leņķis



73606




73613



73652

Artikuls	Izmēri			t	Cauruma dimensijas	Sertifikāts
	a	b	c		Ø	
73601	90	60	60	2,0	5 ; 6x40 ; 11	CE
73603	75	60	60	2,0	5 ; 10x40 ; 11	CE
73604	90	40	40	2,5	5 ; 11	CE
73605	90	90	40	2,5	5 ; 11	CE
73606	140	40	40	2,5	5 ; 11	CE
73607	90	60	60	2,0	5 ; 5x30 ; 10x30 ; 11	CE
73608	60	35	60	2,5	5 ; 6x30 ; 11	CE
73609	50	50	55	2,5	5 ; 9	CE
73610	65	65	55	2,0	5 ; 9	CE
73612	50	50	40	2,0	5	CE
73613	90	60	60	2,5	5 ; 6x40 ; 11	CE
73614	90	60	60	2,5	5 ; 5x30 ; 10x30 ; 11	CE
73615	90	60	60	2,5	5 ; 10x30 ; 10x40	CE
73616	75	60	60	2,5	5 ; 6x40 ; 10x40	CE
73617	75	60	60	2,5	5 ; 6x30 ; 11	CE
73618	60	35	60	2,0	5 ; 6x40 ; 10x40	CE
73619	60	35	60	2,0	5 ; 6x30 ; 11	CE
73622	50	50	40	2,5	5 ; 11	CE
73623	65	65	55	3,0	5 ; 9	CE
73624	65	65	55	2,5	5 ; 9	CE
73651	50	50	55	2,5	5 ; 9	CE
73652	65	65	55	2,0	5 ; 9	DC


Stūra lenķis



Artikuls	Izmēri				Cauruma dimensijas		Sertifikāts
	a	b	c	t	ø		
71320	40	40	40	2,0	5 ; 11		CE
71321	40	40	40	2,5	5 ; 11		CE
71322	60	60	40	2,0	5 ; 11		CE
71323	60	60	40	2,5	5 ; 11		CE
71324	80	80	40	2,0	5 ; 11		CE
71325	80	80	40	2,5	5 ; 11		CE
71326	100	100	40	2,0	5 ; 11		CE
71327	100	100	40	2,5	5 ; 11		CE
71401	20	20	40	2,0	5		DC
71402	40	40	20	2,0	5		CE
71403	40	40	30	2,0	5		DC
71404	40	40	40	2,0	5		CE
71405	40	40	60	2,0	5		CE
71406	60	60	30	2,0	5		CE
71407	60	60	40	2,0	5		CE
71408	60	60	50	2,0	5		CE
71409	60	60	60	2,0	5		CE
71410	60	60	80	2,5	5		CE
71411	60	60	90	2,5	5		CE
71412	60	60	100	2,5	5		CE
71413	80	80	20	2,0	5		CE
71414	80	80	40	2,0	5		CE
71415	80	80	60	2,5	5		CE
71416	80	80	80	2,5	5		CE
71417	80	80	100	2,5	5		CE
71418	100	100	40	2,5	5		CE
71419	100	100	60	2,5	5		CE
71420	100	100	80	2,5	5		CE
71421	100	100	100	2,5	5		CE
71422	40	40	80	2,0	5		CE
71423	40	40	100	2,0	5		CE
71424	60	60	20	2,0	5		CE
71425	60	60	80	2,0	5		CE
71426	60	60	100	2,0	5		CE
71427	80	80	60	2,0	5		CE
71428	80	80	80	2,0	5		CE
71429	80	80	100	2,0	5		CE
71431	100	100	60	2,0	5		CE
71432	100	100	80	2,0	5		CE
71433	100	100	100	2,0	5		CE
71434	40	40	50	2,0	5		CE

Artikuls	Izmēri				Cauruma dimensijas	Sertifikāts
	a	b	c	t	ø	
71435	60	60	90	2,0	5	CE
71436	60	60	40	2,5	5	CE
71437	60	60	50	2,5	5	CE
71438	40	40	40	2,5	5	CE
71439	60	60	60	2,5	5	CE
71441	40	40	60	2,5	5	CE
71443	40	40	100	2,5	5	CE
71445	60	60	30	2,5	5	CE
71447	80	80	40	2,5	5	CE


Stūra leņķis, nevienādmalu



71328



71333



71501



71501


Artikuls	Izmēri				Cauruma dimensijas	Sertifikāts
	a	b	c	t	ø	
71328	120	80	40	2,0	5 ; 11	CE
71329	120	80	40	2,5	5 ; 11	CE
71330	120	100	40	2,0	5 ; 11	DC
71331	120	100	40	2,5	5 ; 11	DC
71332	160	40	40	2,0	5 ; 11	CE
71333	160	40	40	2,5	5 ; 11	CE
71501	60	40	60	2,0	5	DC
71502	80	60	60	2,5	5	CE
71503	100	60	60	2,5	5	DC
71506	160	80	60	2,5	5	CE
71507	160	80	80	2,5	5	CE
71508	160	80	100	2,5	5	DC
71509	160	100	120	2,5	5	DC
71510	200	100	100	2,5	5	CE
71512	60	40	60	2,5	5	CE
71513	140	60	40	2,5	5	DC

Stūra lenķi, krāsoti




Artikuls	Izmēri				Cauruma dimensijas ø	Krāsasa	Sertifikāts
	a	b	c	t			
72507	40	40	20	2,0	5	RAL 9003 white	DC
72508	40	40	20	2,0	5	RAL 9004 black	DC
72509	40	40	20	2,0	5	RAL 8025 brown	DC
72514	40	40	40	2,0	5	RAL 9004 black	DC
72531	40	40	20	2,0	5	RAL 7000 grey	DC
72533	40	40	40	2,0	5	RAL 7000 grey	DC
72541	100	100	20	2,0	5	EL. ZN	DC
74801	50	50	55	2,5	5 ; 9	RAL 9003 white	DC
74802	60	60	40	2,0	5	RAL 9003 white	DC
74803	100	100	55	2,5	5 ; 7 ; 9	RAL 9003 white	DC
74804	50	50	55	2,5	5 ; 9	RAL 8025 brown	DC
74805	60	60	40	2,0	5	RAL 8025 brown	DC
74806	100	100	55	2,5	5 ; 7 ; 9	RAL 8025 brown	DC
74807	50	50	35	2,0	5 ; 9	RAL 9003 white	DC
74808	50	50	35	2,0	5 ; 9	RAL 9004 black	DC
74809	50	50	35	2,0	5 ; 9	RAL 8025 brown	DC
74810	50	50	35	2,0	5 ; 9	RAL 7000 grey	DC
74811	50	50	35	2,0	5 ; 9	RAL 3011 red	DC
74812	60	60	40	2,0	5	RAL 9004 black	DC
74813	60	60	40	2,0	5	RAL 7000 grey	DC
74814	60	60	40	2,0	5	RAL 3011 red	DC
74815	60	60	60	2,0	5	RAL 9003 white	DC
74840	70	70	55	2,0	5 ; 11	RAL 9004 black	DC
74843	70	70	55	2,0	5 ; 11	RAL 9003 white	DC
74844	70	70	55	2,0	5 ; 11	RAL 8025 brown	DC
74845	90	90	65	2,5	5 ; 7 ; 13	RAL 9003 white	CE
74848	100	100	55	2,5	5 ; 7 ; 9	RAL 9003 white	DC
74849	105	105	90	2,5	5 ; 7 ; 9 ; 11	RAL 9003 white	DC

Slidošais lenķis



Artikuls	Izmēri				Cauruma dimensijas ø	Sertifikāts
	a	b	c	t		
74402	35	35	130	2,0	4 ; 5 ; 5x110	CE
74406	35	35	130	2,0	4 ; 5 ; 5x110	CE

Stūra lenķis, 135°



73101




73104



73107

Artikuls	Izmēri				Cauruma dimensijas ø	Sertifikāts
	a	b	c	t		
73101	50	50	35	2,0	5 ; 9	DC
73102	65	65	55	2,0	5 ; 9	DC
73103	70	70	55	2,0	5 ; 11	DC
73104	90	90	40	2,5	5 ; 11	CE
73105	100	100	55	2,5	5 ; 7	DC
73106	105	105	90	2,5	5 ; 7 ; 11	DC
73107	90	90	65	2,5	5 ; 7 ; 13	CE
73108	50	50	40	2,0	5 ; 11	DC
73111	50	50	35	2,5	5 ; 9	CE
73112	70	70	55	2,5	5 ; 11	DC

Fasādes lenķi



71551



71553



71555


Artikuls	Izmēri				Cauruma dimensijas ø	Sertifikāts
	a	b	c	t		
71551	150	90	65	2,5	5 ; 7 ; 9 ; 11 ; 11x30	CE
71552	170	90	65	2,5	5 ; 7 ; 9 ; 11 ; 11x30	CE
71553	190	90	65	2,5	5 ; 7 ; 9 ; 11 ; 11x30	CE
71554	150	150	65	2,5	5 ; 7 ; 9 ; 11 ; 11x30	CE
71555	170	170	65	2,5	5 ; 7 ; 9 ; 11 ; 11x30	CE
71556	190	190	65	2,5	5 ; 7 ; 9 ; 11 ; 11x30	CE

Stūra lenķis, nerūsējošā tērauda A2 AISI 304




Artikuls	Izmēri				Cauruma dimensijas ø	Sertifikāts
	a	b	c	t		
71162	70	70	55	2,0	5 ; 11	DC
71163	70	70	55	2,5	5 ; 11	CE
71164	70	70	55	2,5	5 ; 11	CE
71166	70	70	55	2,0	5 ; 11	DC
71201	50	50	35	2,0	5 ; 9	DC
71202	90	90	65	2,5	5 ; 7 ; 13	CE
71203	105	105	90	2,5	5 ; 7 ; 9 ; 11	CE
71204	90	90	65	2,5	5 ; 7 ; 13	CE
71205	105	105	90	2,5	5 ; 7 ; 9 ; 11	CE
71206	90	90	65	2,0	5 ; 7 ; 13	DC
71208	90	90	65	2,0	5 ; 7 ; 11	DC
71209	50	50	35	2,5	5 ; 9	CE
71210	90	90	40	2,5	5 ; 9	CE
71252	40	40	40	2,0	5	CE
71254	60	60	40	2,0	5	CE
71255	60	60	60	2,0	5	CE
71256	80	80	60	2,0	5	CE

Stūra lenķis, nerūsējošā tērauda, A4 AISI 316



Artikuls	Izmēri				Cauruma dimensijas ø	Sertifikāts
	a	b	c	t		
71460	90	90	65	2,5	5 ; 7 ; 13	CE
71461	40	40	40	2,0	5	CE
71462	50	50	35	2,0	5 ; 9	CE
71463	90	90	65	2,5	5 ; 7 ; 13	CE
71464	60	60	40	2,0	5	CE
71465	70	70	55	2,5	5 ; 11	CE
71466	50	50	35	2,5	5 ; 9	CE
71467	60	60	60	2,0	5	CE
71468	90	90	65	2,0	5 ; 7	CE
71469	105	105	90	2,5	5 ; 7 ; 9 ; 11	CE
71470	105	105	90	2,5	5 ; 7 ; 9 ; 11	CE



Savienojumplate



Artikuls	a	Izmērs b	t	Cauruma dimensijas ø	Sertifikāts
71601	95	35	2,0	5 ; 9	DC
71602	125	55	2,0	5 ; 9	DC
71603	140	55	2,0	5 ; 11	DC
71604	175	40	2,5	5 ; 11	DC
71605	175	65	2,5	5 ; 7 ; 13	DC
71606	195	55	2,5	5 ; 7 ; 9	DC
71607	205	90	2,5	5 ; 7 ; 9 ; 11	DC
71608	60	25	2,0	5	DC
71609	95	40	2,0	5 ; 11	DC
71701	80	20	2,0	5	CE
71702	80	30	2,0	5	CE
71703	80	40	2,0	5	CE
71704	100	40	2,0	5	CE
71705	120	40	2,0	5	CE
71706	120	60	2,0	5	CE
71707	140	40	2,0	5	CE
71708	140	60	2,0	5	CE
71709	140	100	2,0	5	CE
71710	160	40	2,0	5	CE
71711	160	50	2,0	5	CE
71712	160	60	2,0	5	CE
71713	160	100	2,0	5	CE
71714	200	50	2,0	5	CE
71715	200	60	2,0	5	CE
71716	200	80	2,0	5	CE
71717	200	100	2,0	5	CE
71718	200	120	2,0	5	CE
71719	240	60	2,0	5	CE
71720	240	80	2,0	5	CE
71721	240	100	2,0	5	CE
71722	240	120	2,0	5	CE
71723	300	60	2,0	5	CE
71724	300	80	2,0	5	CE
71725	300	100	2,0	5	CE
71726	300	120	2,0	5	CE
71727	400	100	2,0	5	CE
71728	400	120	2,0	5	CE
71729	300	160	2,0	5	CE
71730	400	160	2,0	5	CE
71731	300	200	2,0	5	CE
71732	400	200	2,0	5	CE



Artikuls	Izmēri		Cauruma dimensijas	Sertifikāts	
	a	b			
71733	180	60	2,0	5	CE
71737	200	40	2,0	5	CE
71738	140	80	2,0	5	CE
71739	160	80	2,0	5	CE
71740	300	40	2,0	5	CE
71747	260	100	2,0	5	CE
71749	400	140	2,0	5	CE

Savienojumplate ar fāzētiem caurumiem




Artikuls	Izmēri			Cauruma dimensijas	Sertifikāts
	a	b	t		
72601	60	25	2,0	5	DC
72602	80	20	2,0	5	DC
72609	80	40	2,0	5	DC

Savienojumplate ar bultskrūvju caurumiem




Artikuls	Izmēri			Cauruma dimensijas	Sertifikāts
	a	b	t		
74364	200	100	2,0	5 ; 11	DC
74367	240	80	2,0	5 ; 11	DC
74369	240	120	2,0	5 ; 11	DC
74373	300	100	2,0	5 ; 11	DC
74379	400	160	2,0	5 ; 11	DC

Savienojumplate ar fāzētiem caurumiem, krāsoti




72608



72610




72615



74905

Artikuls	Izmērs			Cauruma dimensijas ø	Krāsa	Sertifikāts
	a	b	t			
72603	60	25	2,0	5	RAL 9003 white	DC
72604	80	20	2,0	5	RAL 9003 white	DC
72606	80	20	2,0	5	RAL 9004 black	DC
72607	60	25	2,0	5	RAL 8025 brown	DC
72608	80	20	2,0	5	RAL 8025 brown	DC
72610	80	40	2,0	5	RAL 9003 white	DC
72611	80	40	2,0	5	RAL 9004 black	DC
72612	80	40	2,0	5	RAL 8025 brown	DC
72613	60	25	2,0	5	RAL 9006 alu. grey	DC
72614	80	20	2,0	5	RAL 7000 grey	DC
72615	60	25	2,0	5	RAL 7000 grey	DC
72616	80	40	2,0	5	RAL 7000 grey	DC
74901	120	40	2,0	5	RAL 9003 white	CE
74902	200	50	2,0	5	RAL 8025 brown	CE
74903	120	40	2,0	5	RAL 8025 brown	CE
74904	200	50	2,0	5	RAL 9003 white	CE
74905	120	40	2,0	5	RAL 9004 black	CE
74906	120	40	2,0	5	RAL 7000 grey	CE
74907	120	40	2,0	5	RAL 3011 red	CE

Nerūsējošā tērauda A2 savienojumplate



74952




74956

Artikuls	Izmēri			Cauruma dimensijas ø	Sertifikāts
	a	b	t		
74952	120	40	2,0	5	CE
74953	160	40	2,0	5	CE
74956	200	50	2,0	5	CE
74957	200	60	2,0	5	CE
74958	200	80	2,0	5	CE
74959	200	100	2,0	5	CE
74964	240	80	2,0	5	CE
74966	140	80	2,0	5	CE

Savienojumplate




71902



71903

Artikuls	Izmēri			Cauruma dimensijas ø	Sertifikāts
	a	b	t		
71902	1200	40	2,0	5	DC
71903	1200	60	2,0	5	DC
71904	1200	80	2,0	5	DC

Brusu kurpe, iekšējā



72301





72305




72317

Artikuls	Izmēri			Cauruma dimensijas ø	Sertifikāts
	a	b	t		
72301	100	140	2,0	5 ; 7 ; 11 ; 13	CE
72302	80	120	2,0	5 ; 7 ; 11 ; 13	CE
72303	51	105	2,0	5 ; 7	CE
72304	51	135	2,0	5 ; 7	CE
72305	51	165	2,0	5 ; 7	CE
72306	45	137	2,0	5 ; 7	CE
72308	90	145	2,0	5 ; 7 ; 11 ; 13	CE
72309	45	97	2,0	5 ; 7	CE
72311	60	160	2,0	5 ; 7	CE
72312	100	170	2,0	5 ; 7 ; 11 ; 13	CE
72313	45	167	2,0	5 ; 7	CE
72314	60	100	2,0	5 ; 7	CE
72315	51	93	2,0	5 ; 7	CE
72316	45	107	2,0	5 ; 7	CE
72317	76	122	2,0	5 ; 7 ; 11 ; 13	CE
72318	40	110	2,0	5 ; 7	CE
72322	70	125	2,0	5 ; 7	CE
72324	80	180	2,0	5 ; 7 ; 11 ; 13	CE
72327	51	195	2,0	5 ; 7	CE
72328	48	166	2,0	5 ; 7	CE
72329	48	95	2,0	5 ; 7	CE
72330	48	136	2,0	5 ; 7	CE
72334	45	197	2,0	5 ; 7	CE
72336	64	158	2,0	5 ; 7	CE

Brusu kurpe, ārējā



72205




72215



72238


Artikuls	Izmēri			Cauruma dimensijas	Sertifikāts
	a	b	t		
72201	45	97	2,0	5 ; 7 ; 11	CE
72202	45	107	2,0	5 ; 7 ; 11	CE
72203	45	137	2,0	5 ; 7 ; 11 ; 13	CE
72204	45	167	2,0	5 ; 7 ; 11 ; 13	CE
72205	51	105	2,0	5 ; 7 ; 11	CE
72206	51	135	2,0	5 ; 7 ; 11 ; 13	CE
72207	51	165	2,0	5 ; 7 ; 11 ; 13	CE
72208	51	195	2,0	5 ; 7 ; 11 ; 13	CE
72209	60	100	2,0	5 ; 7 ; 11	CE
72210	76	122	2,0	5 ; 7 ; 11 ; 13	CE
72211	76	152	2,0	5 ; 7 ; 11 ; 13	CE
72212	80	120	2,0	5 ; 7 ; 11 ; 13	CE
72213	100	140	2,0	5 ; 7 ; 11 ; 13	CE
72214	76	182	2,0	5 ; 7 ; 11 ; 13	CE
72215	100	200	2,0	5 ; 7 ; 11 ; 13	CE
72218	100	170	2,0	5 ; 7 ; 11 ; 13	CE
72219	40	140	2,0	5 ; 7 ; 11 ; 13	CE
72220	51	93	2,0	5 ; 7 ; 11	CE
72221	40	110	2,0	5 ; 7 ; 11	CE
72222	60	190	2,0	5 ; 7 ; 11 ; 13	CE
72223	60	160	2,0	5 ; 7 ; 11 ; 13	CE
72225	90	145	2,0	5 ; 7 ; 11 ; 13	CE
72226	80	180	2,0	5 ; 7 ; 11 ; 13	CE
72227	48	136	2,0	5 ; 7 ; 11 ; 13	CE
72228	48	95	2,0	5 ; 7 ; 11	CE
72231	60	130	2,0	5 ; 7 ; 11 ; 13	CE
72232	70	125	2,0	5 ; 7 ; 11 ; 13	CE
72233	40	99	2,0	5 ; 7 ; 11	CE
72235	45	197	2,0	5 ; 7 ; 11 ; 13	CE
72236	48	106	2,0	5 ; 7 ; 11	CE
72237	48	166	2,0	5 ; 7 ; 11 ; 13	CE
72238	48	196	2,0	5 ; 7 ; 11 ; 13	CE
72240	64	158	2,0	5 ; 7 ; 11 ; 13	CE
72242	64	128	2,0	5 ; 7 ; 11 ; 13	CE
72243	70	155	2,0	5 ; 7 ; 11 ; 13	CE
72244	70	185	2,0	5 ; 7 ; 11 ; 13	CE
72245	73	123	2,0	5 ; 7 ; 11 ; 13	CE
72248	80	150	2,0	5 ; 7 ; 11 ; 13	CE
72249	90	175	2,0	5 ; 7 ; 11 ; 13	CE
72250	100	80	2,0	5 ; 7 ; 11	CE

Brusu kurpe, nerūsējošā tērauda, A2 AISI304



Artikuls	a	Izmēri b	t	Cauruma dimensijas ø	Sertifikāts
72280	51	105	2,0	5 ; 7 ; 11	CE
72284	51	135	2,0	5 ; 7 ; 11 ; 13	CE
72285	51	93	2,0	5 ; 7 ; 11	CE
72286	48	95	2,0	5 ; 7 ; 11	CE
72287	48	106	2,0	5 ; 7 ; 11	CE
72288	48	136	2,0	5 ; 7 ; 11 ; 13	CE
72289	45	97	2,0	5 ; 7 ; 11	CE
72290	45	107	2,0	5 ; 7 ; 11	CE
72291	45	137	2,0	5 ; 7 ; 11 ; 13	CE

Spāru lenķis



72101




72105



72107



Artikuls	a	Izmēri b	t	Cauruma dimensijas ø	Sertifikāts
72101	170	32	2,0	5	CE
72102	170	32	2,0	5	CE
72103	210	32	2,0	5	CE
72104	210	32	2,0	5	CE
72105	250	32	2,0	5	CE
72106	250	32	2,0	5	CE
72107	290	32	2,0	5	CE
72108	290	32	2,0	5	CE
72109	330	32	2,0	5	CE
72110	330	32	2,0	5	CE
72111	370	32	2,0	5	CE
72112	370	32	2,0	5	CE

Plauktu konsoles



Artikuls	Izmērs			Cauruma dimensijas	Sertifikāts
	a	b	t		
81101	75	100	1,0	RAL 9003	DC
81102	100	125	1,0	RAL 9003	DC
81103	125	150	1,0	RAL 9003	DC
81104	150	200	1,0	RAL 9003	DC
81105	200	250	1,0	RAL 9003	DC
81106	250	300	1,0	RAL 9003	DC
81107	300	350	1,0	RAL 9003	DC
81111	75	100	1,0	RAL 9005	DC
81112	100	125	1,0	RAL 9005	DC
81113	125	150	1,0	RAL 9005	DC
81114	150	200	1,0	RAL 9005	DC
81115	200	250	1,0	RAL 9005	DC
81116	250	300	1,0	RAL 9005	DC
81117	300	350	1,0	RAL 9005	DC
81121	75	100	1,0	RAL 8017	DC
81122	100	125	1,0	RAL 8017	DC
81123	125	150	1,0	RAL 8017	DC
81124	150	200	1,0	RAL 8017	DC
81125	200	250	1,0	RAL 8017	DC
81126	250	300	1,0	RAL 8017	DC
81127	300	350	1,0	RAL 8017	DC
81131	75	100	1,0	RAL 9006	DC
81132	100	125	1,0	RAL 9006	DC
81133	125	150	1,0	RAL 9006	DC
81134	150	200	1,0	RAL 9006	DC
81135	200	250	1,0	RAL 9006	DC
81136	250	300	1,0	RAL 9006	DC
81137	300	350	1,0	RAL 9006	DC


Naglu plate



Artikuls	Izmēri				Sertifikāts
	a	b	c	t	
75701V	36	100	14	1,3	CE
75702V	36	150	14	1,3	CE
75731V	48	150	14	1,3	CE
75703V	60	100	14	1,3	CE

Artikuls	Izmēri				Sertifikāts
	a	b	c	t	
75704V	60	150	14	1,3	CE
75705V	60	300	14	1,3	CE
75707V	96	150	14	1,3	CE
75708V	96	200	14	1,3	CE
75709V	96	250	14	1,3	CE
75710V	96	300	14	1,3	CE
75711V	120	150	14	1,3	CE
75712V	120	200	14	1,3	CE
75713V	120	250	14	1,3	CE
75717V	144	200	14	1,3	CE
75718V	144	250	14	1,3	CE
75719V	144	300	14	1,3	CE
75721V	180	200	14	1,3	CE
75722V	180	250	14	1,3	CE
75723V	180	300	14	1,3	CE
75724	180	400	14	1,3	CE

Brusu kurpe iemūrējama




73501



73551


Artikuls	Izmēri				Cauruma dimensijas ø	Sertifikāts
	a	b	c	t		
73501	90	40	50	4,0	4,2 ; 10	DC
73502	125	60	50	5,0	5 ; 11 ; 13	DC
73503	90	40	75	4,0	4,5 ; 12,5	DC
73504	125	60	75	5,0	5 ; 11 ; 13	DC
73507	100	40	90	4,0	4,2 ; 9,5	DC
73508	125	60	100	5,0	5 ; 13	DC
73509	125	90	100	5,0	4,5 ; 12,5	DC
73511	120	70	120	5,0	4,9 ; 12,5	DC
73512	125	90	120	5,0	5 ; 11 ; 13	DC
73513	120	90	125	5,0	4,9 ; 12,5	DC
73514	150	60	125	5,0	5 ; 11 ; 13	DC
73520	140	90	124	4,0	7 ; 13	DC
73525	90	40	45	4,0	4,2 ; 9,5	DC
73527	125	40	48	5,0	5 ; 11 ; 13	DC
73531	125	40	50	5,0	5 ; 13	DC
73532	125	60	100	5,0	5 ; 13	DC
73535	125	60	80	5,0	5 ; 13	DC
73551	120	90	90	5,0	5 ; 13	DC
73552	125	70	100	5,0	4,8 ; 10,8 ; 12,8	DC

Brusu kurpe iemūrējama



73515


Artikuls	Izmēri				Cauruma dimensijas Ø	Sertifikāts
	a	b	c	t		
73515	100	60	70	5,0	5 ; 11 ; 13	DC
73524	130	90	85	5,0	7 ; 13	DC



73516

Artikuls	Izmēri				Cauruma dimensijas Ø	Sertifikāts
	a	b	c	t		
73516	110	60	90	5,0	10,5	DC

Brusu kurpe iemūrējama, regulējama



73517

Artikuls	Izmērs				Cauruma dimensijas Ø	Sertifikāts
	a	b	c	t		
73517	110	70	70-120	4,0	5 ; 13	DC
73522	124	80	80-160	4,0	4,5 ; 12	DC
73518	130	70	105-160	5,0	4,5 ; 13	DC
73521	130	70	80-120	5,0	5 ; 13	DC
73553	130	70	80-100	5,0	5 ; 13	DC
73554	130	70	80-110	5,0	5 ; 13	DC

Enkurnaglas

Artikuls	Izmērs	☞
8854 31 40	3.1 x 40	500
8854 31 60	3.1 x 60	500
8854 4 40	4 x 40	250
8854 4 50	4 x 50	250
8854 4 60	4 x 60	250
8854 4 75	4 x 75	250
8854 4 100	4 x 100	250



Enkurskrūves (RUSPERT)

Artikuls	Izmērs	☞
aknatx-5*40A2	5 x 40	250
aknatx-5*50A2	5 x 50	250
aknatx-5*60A2	5 x 60	250



Šūpoļu kronšteins



Artikuls	Detāļas	☞
885101	ar karabīni MHA130 M12/130mm DX	10
885601	ar šiekeli MHD130 M12/130mm DX	10
885701	aplveidīgs/ar karabīni MHO100 d100mm DX	10
885801	aplveidīgs/ar karabīni MHO120 d120mm DX	10
886001	aplveidīgs/ar karabīni MHO-80 d80mm DX	10
885901	kvadrāt.v.MHK-90 90mm DX	10